

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S75	2	"20030018808"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:09
S76	706	proxy same application near5 server\$1	USPAT	OR	OFF	2005/12/15 12:47
S77	538	messag\$3 near10 rout\$4 and proxy same application near5 server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:48
S78	222	messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:48
S79	0	messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf and without near15 other	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:50
S80	76	messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:52
S81	64	messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:54
S82	5	messag\$3 near10 rout\$4 near15 application near3 server\$1 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:07

S83	0	messag\$3 near10 rout\$4 near15 application near3 provider\$1 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:08
S84	0	messag\$3 near10 rout\$4 near15 application near3 provider\$1 and proxy same application near5 provider\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:08
S85	0	messag\$3 near10 rout\$4 near15 application near3 provider\$1 and proxy same application near5 provider\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:08
S86	2	messag\$3 near10 rout\$4 near3 provider\$1 and proxy same application near5 provider\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:08
S87	9	messag\$3 near10 rout\$4 and proxy same application near5 provider\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:08
S88	3	messag\$3 near10 rout\$4 and proxy same application near5 provider\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:12
S89	0	without near5 knowledge near15 (server\$1 or provider\$1) and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:13
S90	500	without near5 know\$4 near15 (server\$1 or provider\$1) and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:13

S91	1	message\$1 near15 rout\$4 near15 without near5 know\$4 near15 (server\$1 or provider\$1) and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:14
S92	1	"20030018808" and knowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:15
S93	1	"20030018808" and application near service near provider\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:15
S94	3618	application near service near provider\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:15
S95	79747	application near service near provider\$1 or asp\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:15
S96	79747	(application near service near provider\$1 or asp\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:16
S97	4493	between near15 (application near service near provider\$1 or asp\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:16
S98	17	routing near15 between near15 (application near service near provider\$1 or asp\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:17

S99	2	routing near15 between near15 (application near service near provider\$1 or asp\$1)and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:19
S100	3122	between near15 (application near service near provider\$1 or asp\$1)and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:19
S101	572	between near15 (application near service near provider\$1 or asp\$1)and (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:20
S102	1	between near15 (application near service near provider\$1 or asp\$1)same (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:20
S103	1	(application near service near provider\$1 or asp\$1)and message near5 routing same (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:21
S104	0	(application near service near provider\$1 or asp\$1)and message near5 routing same (without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:21
S105	0	(application near service near provider\$1 or asp\$1)and routing same (without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:22
S106	230	(application near service near provider\$1 or asp\$1)and(without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:22

S10 7	0	(application near service near provider\$1 or asp\$1)same behalf and(without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:23
S10 8	6	(application near service near provider\$1 or asp\$1)and behalf and(without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:24
S10 9	265	(application near service near provider\$1 or asp\$1)and behalf and(without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:08
S11 0	2126	message\$1 and behalf and(without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:09
S11 1	6695	message\$1 near15 rout\$3 near15 without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:09
S11 2	27	message\$1 near15 rout\$3 near15 (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:13
S11 3	10	message\$1 near15 rout\$3 near15 (without or never)near15 know\$6 and service\$1 near2 provider\$1 and (@ad<"20010326" or @rlad<"20010326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:13